

TD21MOUCM

20.7" FHD LCD MONITOR



FEATURES:

- Industrial level LCD panel, suitable for extensive 24/7 continuous works
- Physical resolution of 1920×1080
- High fidelity digital processing, brilliant and vivid video
- 5ms fast response time, no image ghosting
- Built-in speakers

Specifications:

Model	TD21MOUCM	
System		
Diagonal	20.7”(16:9)	
Resolution	1920×1080(FHD)	
Backlight	LED	
Brightness/Luminance (Standard)	250 cd/m ²	
Contrast	1000:1	
Angle of view	160°/170°(vertical/horizontal)	
Response time	5ms	
Display color	8bit(16.7M)	
VESA	100×100mm	
Signals		
Input	VGA(D-Sub)×1, HDMI×1, Audio×1	
Output	Speaker	1.5W×2
General		
Consumption (Standard)	24W	
Consumption (Standby)	≤0.5W	
Power Supply	AC100~240V (+/-10%), 50/60 Hz	
Net Weight	2.8kg	
Gross Weight	3.6kg	
Dimensions (no base)	490.3×292.3×48.3mm	
Work Environment	Temperature: 0°C~40°C	
	Humidity: 10%~90%	
Accessory		
Standard	VGA cable, power cable, pedestal	
Optional	Hanging bracket	

Dimensions:

Dimensions(mm)

